

2020

# Z900 ABS



- 
- METALLIC GRAPHITE GRAY/METALLIC SPARK BLACK
- 
- 
- CANDY PLASMA BLUE/METALLIC MATTE FUSION SILVER



POWER		Rear Tire	180/55 ZR17
Engine	4-stroke, 4-cylinder, DOHC, 16-valve, liquid-cooled	Front Brakes	Dual 300mm petal-style discs with four-piston calipers, ABS
Displacement	948cc	Rear Brakes	Single 250mm petal-style disc with single-piston caliper, ABS
Bore x Stroke	73.4 x 56.0mm	DETAILS	
Compression Ratio	11.8:1	Frame Type	Trellis, high tensile steel
Maximum Torque	73.1 lb-ft @ 7,700 rpm	Rake/Trail	24.5° / 4.1 in
Fuel System	DFI® with 36mm Keihin throttle bodies	Overall Length	81.5 in
Ignition	TCBI with electronic advance	Overall Width	32.5 in
Transmission	6-speed, return shift	Overall Height	42.5 in
Final Drive	Sealed chain	Ground Clearance	5.7 in
Electronic Rider Aids	Integrated Riding Modes, Kawasaki Traction Control (KTRC), Power Modes (2)	Seat Height	31.5 in
PERFORMANCE		Curb Weight	467.5 lb*
Front Suspension / Wheel Travel	41mm inverted fork with rebound damping and spring preload adjustability/4.7 in	Fuel Capacity	4.5 gal
Rear Suspension / Wheel Travel	Horizontal back-link, stepless rebound damping, adjustable spring preload/5.5 in	Wheelbase	57.3 in
Front Tire	120/70 ZR17	Special Features	Rideology the App Smartphone Connectivity, TFT Instrumentation
		Color Choices	*Metallic Graphite Gray/Metallic Spark Black*Candy Plasma Blue/Metallic Matte Fusion Silver
		Warranty	12 Month Limited Warranty

Scan with camera to view videos, key features and more.



\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). KAWASAKI CARES: Read Owner's Manual and all on-product warnings. Always wear a helmet, eye protection and proper apparel. Never ride under the influence of drugs or alcohol. Adhere to the maintenance schedule in your Owner's Manual. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit honduras.kawasaki-la.com for full product details.